File No. D-31012/2/2010-Genl. (Pt) Government of India Ministry of Corporate Affairs

Shastri Bhavan, New Delhi. Dated the 25th April, 2011.

To

M/s

Subject:- Quotations for Kitchen equipment for Departmental Canteen to be run by Indian Railway Catering & Tourism Corporation Ltd. (IRCTC) in Shastri Bhawan.

Sir,

Sealed quotations are invited for supply of Kitchen equipments for the Departmental Canteen to be run by Indian Railway Catering & Tourism Corporation Ltd. (IRCTC) in Shastri Bhawan as per the list enclosed. Quantity and specifications for each item are also given in the enclosed statement.

- 2. The rates quoted should include transport and the cost of installation. The quotation should reach the undersigned (Room No.526, 'A' Wing, Shastri Bhavan, New Delhi) on or before 10th May, 2011 by 3.00 PM. All quotations should be typed or written in ink. All quotation written in pencil will not be entertained. Over writing and erased entries will be deleted from the quotations. The rates quoted should be valid for six months. The quotations are to be superscripted as "Quotations for Kitchen items". Other terms and conditions of the supply will be as under:
 - i) Goods not found satisfactory will be returned at the expense of the supplier.
 - Taxes to be paid needs to be indicated separately otherwise it will be presumed that no taxes are required to be paid extra. Total cost including all the taxes may also be quoted separately.
 - iii) Unsealed quotations will be rejected.
 - iv) Ministry of Corporate Affairs reserves the right to reject the goods if the same are not found in accordance with the specifications approved/asked for.
 - v) In case holiday is declared on the date of opening of quotations it will be opened the next working day at the same time.
 - vi) The rates must be quoted in both words and figures.
 - vii) The suppliers will have to adhere to delivery schedule. Delay in supplies will be subjected to penalty @ 5% of the cost of the equipments per week.
 - viii) All electrical items/machines provided to canteen should carry warranty of supplier for at least one year. If performance of equipment is not found satisfactory during guarantee period the same will have to be replaced.
 - ix) The firm supplying items will also install them and hand over possession in working

- 3. The bidders are required to deposit security of Rs.5000/- (Rupees Five Thousand Only) in the from of a Demand Draft/Bankers Cheque drawn in favour of Pay & Accounts Officers Ministry of Corporate Affairs along with their quotations failing which quotations will not be considered, Unsuccessful bidders will be returned their security as early as possible after completion of selection process.
- 4. In case of failure to comply with the supply order in terms and conditions of the contract purchase may be made at the cost and risk or contractors and/or liquidated damages may be recovered from them.
- 5. Tenders received on or before prescribed date will be opened on 10th May 2011 at 4.00 PM. Representatives of firms are welcome to be present at the time of opening of tenders.

Yours faithfully,

Encl:

I. List of Kitchen Equipment required.

2. Proposed Plan for Kitchen.

G.P. Sarkar) 🤅

Under Secretary to Govt. of India

Phone No. 23381349

Copy to:-

MCA-21 with the request to display this tender notice at Ministry's website and remove it on 10th May 2011 at 3.00 PM.

Shastri Bahwan Kitchen/Misc equipment Specs

	Shastri Bahwan Kitchen/Misc	equipment Specs	
S.No	DESCRIPTION	SIZE (in inches)	OTV
0	DECORAL FICIA	oizt (ill illicitea)	QTY
1	SS work Table	24"x24"x34"	2
		Made of 16 swg. s.s. sheet ,All of the sides to be turned in 12mm, with sound	
L	ТОР	deadner underneath	<u> </u>
	FRAME	Top to be secured to in s. angle frame of 38mmx38x3mm	
⊢	LEGS UNDERSHELF	Made of 38mm dia. s s.pipc	
	UNDERSHELF	Made of 18 swg. s.s. sheet turned down 38mm & in 12 mm	
2	SS work Table	60"x24"x34"	2
<u> </u>	oo work tobio	Made of 16 swg. s.s. sheet All of the sides to be turned in 12mm, with sound	
	TOP	deadner underneath	
	FRAME	Top to be secured to m.s. angle frame of 38mmx38x3mm	1
	LEGS	Made of 38mm dia. s.s.pipe	
	UNDERSHELF	Made of 18 swg. s.s. sheet turned down 38mm & in 12 mm	
 :	SS work Table	48"x24"x34"	
-3	33 WORK Table	Specs as Above	6
4	STOCK POT BURNER	24"x24"x28"	5
	Top:	Made of 16 swg/s/s/sheet, all sides turned down 50mm & in 12mm	
ļ	Frame:	M.S. angle frame of 38mmx38mmx3mm	-
	Sides	Sides covering & front panel of 20 swg. s.s. sheet upto 12"	1
	Legs. Drip trays:	Made of 38 mm dia, s.s. pipe with adjusters 2og SS tray	1
\vdash	Drip (tays: Burner:	One burners (high pressure) with respective pilots, heavy duty east iron pan	1
	Durist.	some standard (mga pressure) whit respective phots, neavy duty east fron pan	
5	S.S> Sink	300X300 to be fixed in the wall by CPWD	2
- 6	Masala Troily	30"x18"x34"	-
<u> </u>	madula (100)	20g SS body with 7"dia containers castor wheels with brake	
7	Tandoor	36"x30x30" with SS cladding	1
	Тор:	Made of 18 mm thick pre polished SS sheet	
ll		Made of 18 mm thick pre polished SS sheet with opening in front for	
\vdash	Sides: Insulation	loadind/unloading coal/fuel Thick Glass wool insualation inside	-
\vdash	nisulation	Thick Class woof insulation inside	
8	Dosa PLATE	48"x24"x34x3"(3 sides splash)	1
	Тор:	Made of 16 mm thick polished m s. plate as hot plate	
	Sides:	Side covering of 12" of 20 swg s.s. sheet	
	Legs:	38 mm dia. s.s. pipe with adjusters	
L	Frame	Top to be secured to m.s. angle frame of 40mmx40x3mm	
.]		25mm wide drain trough to be provided in front & a collection box to be	
	Trough:	provided	
	Burner:	three V type burners with pilot & control valves	
9	Vegetable Cutting Machine	Imported Hallde brand- RG-220 Model	1
10	Chinese Range	4'x2'x34"+16" back splash	1
		Made of 16 swg. s.s. sheet, all sides turned down 50mm & in 12mm M.S. angle frame of 38mmx38mmx3mm	-
┝─┤		M.S. angle frame of 38mmx38mmx38mmx38mm Sides covering & front panel of 20 swg. s.s. sheet upto 12"	
\rightarrow		Made of 38 mm dia. s.s. pipe with adjusters	
$\overline{}$		2og SS tray	
	Burner	burners (high pressure) with respective pilots, heavy duty cast iron pan	
		16"x16" size, separate valve for each burner & pilot	
\Box			
11		5'x2'x34"+6"back splash	1
$\overline{}$		Interior made of 22 swg. s.s. sheet & exterior to be made of 20 swg. s.s. sheet	
	0	38mm dia. s.s. legs of 150 mm with adjusters	
ļ		puf 50mm thk	
		Made of 20 swg. s.s sheet exterior & 22 swg. interior, self-closing (springed),	
		lockable Removable s.s. rod shelves to be provided	
_		Removable drip tray to be provided at the bottom	
		Indicators, on/off switch, Kirloskar compressor kit, Temp display	 -
12	S/w griller	Sigle grill plate, Imp make	1
131	Microwave	16ltr.Std brand LG/Samsung etc.	1
		ACIIVO TINO III	
14	FOUR DOOR REFRIGERATOR	48"X27"X84"	1
	Padu:	Interior made of 22 swg, s.s. sheet & exterior to be made of 20 swg, s.s. sheet	
$\overline{}$		Interior made of 22 swg. s.s. sheet & exterior to be made of 20 swg. s.s. sheet 38mm dia, s.s. legs of 150 mm with adjusters.	
_		puf 50mm thk	
	instraction	per service (in)	

32 P	lastic Pallet	for store area ,Std Size available in mkt	2
+		a small door at base for disbursal, framework of some angle and rest with so wide mesh to enable circulation	
\perp		The unit is to be made of ss angle frame work with a top opening hid and	
3110	NION POTATO BIN	36"x24"x48"	
26.00	NION BOT LEO NO.	Nos. verticals made of SS angle with SS adjustable feet.	
1		The Unit is to be made in 18 SWG SS shelves with reinforcement. 4	
30 S	S STORE RACK (4 SHELF)	36"x18"x84"	4
29 V i	Veighing Machine	200 kg capacity digital with screens with power back up	
	rame (38x38x3mm thk ss angle 25mm SS pipe handle 4" dia castor wheels with brake.	
	latform Trolly	36"x24"x36"(SS pipe push handle) 14GA SS sheel,sides furned down 50mm &12mm, with sound deadner	1
	Chest freezer	500ltr cap (48"x24"), Voltas/Blue Star or equilent make	1
			2
26 0	Seyser	35 ltr cap. ISI mark ind brand	
25 F	of wash sink	3'x2' single trick partition on floor (Civil Work)	
		round tubes. The unit is to be proved with SS adjustable feet. The middle shelf at 34" height	
		all welded construction. Unit will have 4 Nos of shelves in 25mm SS	
24	Pot Rack/Table	3x18"x72" The pot rack to be fitted on the table 36mmx125mmx10 mm 14GA dia	1
	Under Shelf	Made of 38mm dia. s.s.pipe with adjusters 18swg shelf below	<u> </u>
\rightarrow	Frame: Legs:	Top to be secured to m.s. angle frame of 38x38x3mm	
\Box		& in 12mm with sound deadner	
	Тор:	Made of 16 swg. s.s. sheet, all sides raised 1" @45 degree turned down 50mm	1.
23	Clean DISH LANDING TABLE	4'x2'x34"+150mm	
	Chute:	Made of 180mm dia, 16 swg/s/s, sheet, 100mm deep	
	Crossbracing:	Made of 38mm dia. s s pipe with adjusters	ļ .
$\overline{}$	Frame: Legs	Top to be secured to m s. angle frame of 38x38x3mm	<u> </u>
		& in 12mm with sound deadner	+
Ì	Тор:	Made of 16 swg. s.s. sheet, all sides raised 1" @45 degree turned down 50mm	
22	DIRTY DISH LANDING TABLE	5'x2'x34"+150mm	
Ĩ		SS with vertical ss pipes for stacking plates	1
21	Clean Dish rack	4-6"×14"×2"	1
	Misc	fitted with 75mm c class pipe connected to drain, water stopper in sink,	
	Sink. Frame:	Made of 16 swg, s.s. of size 450x450x300, provided with waste & overflow 38x38x3mm with crossbracing	
	6:1	down 50mm & in 12mm	
	Тор:	Made of 16 swg. s.s. sheet, splash back of 150mm, all other sides raised 1" @45deg.,	
20	Three SINK UNIT	5'6"x2'x34"	1
	Th		+
		2 deck SS trolly to keep dirty dishes deck depth 10" with 25mm pipe handle,4" castor wheel with brake	1
19	Clearence trolly	36"x20"x36"	
18	Garbage Bin	40 IIr cap with hut type lids PVC brand Neel kamal or equivalent	6
_	Body:	Floor mounting type-heavy duty with steel east body	<u>- </u>
		Three speed gear box on top with planetary movement, gearbox driven through V-belt by 2 HP single phase motor	-
	Bowl Drive:	made of 14 swg. s s, with lever lifting system	<u> </u>
17	Dough Kneading Machine	10 KG	1 -
16	Mixer Grinder	JMG Std make brand Sumit, Maharaja or equilent	1
_		Motor with gearbox drive through V-belt arrangement	+
_	Motor enclosure: Drive:	Mater with markey dains the self-	=
	Peslle.	Rotating stone	-
	Grinding Drum	Floor mounting heavy duty body SS 12g drum	
1:	Wet MASALA GRINDER	10 LTS cap (tilling facility and cover on top)	+
-	Accessories:	Indicators, on/off switch, Kirloskar compressor, Temp display	
	Drip tray:	Removable drip tray to be provided at the bottom	\dashv
	Shelves.	lockable Removable 6 Nos. s.s. rod shelves to be provided	
	Doors	Made of 20 swg. s s sheet exterior & 22 swg. interior, self closing (springed.)	5

33	Bain Marie	5'6"x2'x34"(with GN containers with lids)+3" back splash	+
_	Тор:	Made of 16 swg. sheet, all sides turned down 50mm & in 12mm,	┿
_	Undershelf: & sides covered	Made of 18 swg. s.s. sheet secured to MS angle frame	+-
	Sides:	Sides & rear covered with 20 swg. s.s. sheet	+-
	Tank:	made of 16 swg	+-
	Electrical:	Heavy duty electrical element, with thermostate, indicators,	╀
_		on/off rotary switch	+
	Insulation :	non sag glass wool.	╆
_	Legs:	Made of 38mm dia. s s.pipe with bullet feet	-
4	Ice Cream Ref	4'6"x2' (To arranged from I/c Brand by icensee)	-
5	Cashiers Cabin	by CPWD (for two cashiers) Design same as designed at UB by CPWD	F
6	air Curtain	Size of entrace door front and back	┝
7	Insect Killer	2 tubes std make	
8	EXHAUST HOOD	Measurement to be confirmed on site	\vdash
	Body:	Made of 20swg. SS sheet with ht of 300mm in front & 600mm at the rear, provision for placement of filters in full length-single row	-
-+	Filters:	Removable filters made of 20 swg. s.s sheet channels of V/U shape, holes for draining of oil through filters to be provided	
4	Light	Buffle lamp to be provided	_
	Frame:	M.S. frame of 38x38x3 to be provided on top with appropriate holes for hanging the hood.	
,	Exhust And Fresh Air Ducts	22g GI ducts. All fire proff paint florish, with approprite louvers at work stations fro (resh air, Length as per site, with heavy duly crompton motor	

N.B. S.S. (Stainless Steel)